



## PUZZI 100 SUPER \*EU

Spray extraction cleaner for commercial or private use. Output appr. 10-15 m<sup>2</sup>/h. The large tank for cleaning fluid as well as the water flow rate and pressure are designed for basic cleaning of medium-sized surfaces.

### 1 Height-adjustable handle

- Designed for ease of use. For effortless and efficient cleaning of large areas.



## PUZZI 100 SUPER \*EU

- Rubber mounted pump / turbine
- Extra handle on floor nozzle
- Removable dirty water tank

### Technical data

Order no.	1.100-127.0	
EAN code	4039784720701	
Max. area performance	m <sup>2</sup> /h	20-25
Air flow rate	l/s	54
Vacuum	mbar / kPa	220 / 22
Spray rate	l/min	1
Spray pressure/back pressure	bar	1 / 2.5
Fresh/dirty water tank	l	10 / 9
Turbine power	W	1250
Pump power	W	40
Weight	kg	10.3
Dimensions (L × W × H)	mm	665 × 320 × 435
Voltage	V	220-240
Frequency	Hz	50-60

### Equipment

Spray hose with integrated water feed	m	2.5
Plastic floor nozzle with bend and aluminium tube	■	
Hand nozzle	■	
Power cord	m	7

■ Included in delivery.

# ACCESSORIES FOR PUZZI 100 SUPER \*EU 1.100-127.0

**KÄRCHER**



		Order no.	Quantity	ID	Width	Length	Price	Description	
<b>Floor tools</b>									
Nozzle complete	1	4.130-127.0	1 piece(s)	ID 32	230 mm			Two-part, plastic coupling with aluminium tube.	■
Nozzle metal with packing	2	4.130-394.0	1 piece(s)	ID 32	230 mm			Two-part, quick connect plastic coupling, aluminium tube, metal nozzle.	□
	3	4.130-081.0						Two-part, plastic coupling with stainless steel tube	□
<b>Upholstery tools</b>									
Hand nozzle	4	4.130-116.0	1 piece(s)	ID 32	110 mm			Plastic, DN 32, with transparent window. For cleaning upholstery or small areas that are hard to reach with the floor tool.	■
Hand tool	5	4.130-083.0	1 piece(s)	ID 32	127 mm			Die-cast aluminium, DN 32. For cleaning vertical blinds, with plastic coupling.	□
Window cleaning kit	6	2.638-778.0	1 piece(s)	ID 32				With 2 m hose, connects to spray suction hose of Puzzi 8/1 C, Puzzi 100 and Puzzi 200.	□
Stair nozzle	7	4.130-128.0	1 piece(s)	ID 32	230 mm			Two-part, plastic coupling, short aluminium tube.	□
<b>Spray suction hoses</b>									
Suction hose DN32	8	6.391-410.0	1 piece(s)	ID 32	2.5 m			Low-pressure hose with transparent spray hose.	■
Spray extraction hose ID 32	9	6.391-411.0	1 piece(s)	ID 32	4 m			Spray suction hose, complete with robust quick connect plastic coupling, 4 m.	□
<b>Hard surface adapters</b>									
Hard-surface adapter, hand nozzle	10	4.762-219.0	1 piece(s)		110 mm			For manual nozzle.	□
Hard surface adapter	11	4.762-220.0	1 piece(s)		230 mm			For floor nozzle.	□
Rubber lip	12	6.959-116.0	1 piece(s)		230 mm			For hard surface adapter floor nozzle.	□
	13	6.959-283.0	1 piece(s)		110 mm			For hard surface adapter manual nozzle.	□
<b>Stone carpet tools</b>									
Stone carpet, hard-surface tool	14	4.130-117.0	1 piece(s)	ID 32	330 mm			Two-part, quick connect plastic coupling, wet floor nozzle (metal) with spray nozzle.	□
<b>Other</b>									
	15	4.130-119.0							□

■ Included in delivery. □ Available accessories.