




## T 15/1 HEPA

Tehokas ja hyvinvarusteltu pölynimuri laitossiivouskäyttöön.



### 1 HEPA-suodatin (EN 1882:1998)

- Imrissa on HEPA -suodatin (EN 1822:1998) mikä takaa puhtaan poistoilman ja on ihanteellinen käytettäväksi esim. päiväkodeissa.

### 2 Highflex-virtajohto

- Highflex -virtajohto on kestävä, joustava eikä menee solmuun

### 3 Integroitu tarvikkeiden säilytys



## T 15/1 HEPA

- HEPA-suodatin (EN 1882:1998)
- Integroitu tarvikkeiden säilytys

## Tekniset tiedot

<b>Tuotenumero</b>	1.355-235.0	
<b>EAN koodi</b>	4039784723603	
<b>Ilman läpivirtaus</b>	<b>l/s</b>	53
<b>Alipaine</b>	<b>mbar / kPa</b>	240 / 24
<b>Säiliötilavuus</b>	<b>l</b>	15
<b>Maks. ottoteho</b>	<b>W</b>	800
<b>Varusteiden halkaisija ID 51/61</b>		35
<b>Johdon pituus</b>	<b>m</b>	15
<b>Äänvoimakkuus</b>	<b>dB(A)</b>	62
<b>Äänitehotaso</b>	<b>dB(A)</b>	76
<b>Paino</b>	<b>kg</b>	7,1
<b>Mitat (p x l x k)</b>	<b>mm</b>	434 x 316 x 400

## Laite

<b>Imuletku</b>	<b>m</b>	2,5
<b>Teleskooppimainen imuputki</b>		Standardi
<b>Pölypussi</b>		Fleece
<b>Vaihdeettava lattiasuulake</b>	<b>mm</b>	285
<b>Säiliön materiaali</b>		Muovi
<b>Lattiasuulake</b>		■
<b>Rakosuulake</b>		■
<b>Patterisuulake</b>		■
<b>Kalustesuulake</b>		■
<b>HEPA-suodatin (EN 1882:1998)</b>		■
		■

■ Toimituksen mukana.

# T 15/1 HEPA 1.355-235.0

KÄRCHER



		Tuotenumero	Määrä		Pituus	Leveys	Kuvaus	
<b>Poistoilman suodatin</b>								
Moottorinsuojasuodatin	1	6.414-611.0	5 kpl					■
Poistoilmansuodatin T 12/1 3 kpl.	2	6.414-802.0	3 kpl				Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	□
<b>Suodatinkori</b>								
Suodatinkori T 15/1, T 12/1, T 17/1	3	5.731-640.0	1 kpl				Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	■
Hienopölysuodatin	4	4.731-011.0	1 kpl				Plastic frames with reinforced fleece material, washable to 40°C.	□
<b>HEPA-suodatin, pölyluokka H</b>								
Filter HEPA	5	6.414-801.0	1 kpl				HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.	■
Filter packaged HEPA, H13	6	6.414-080.0	1 kpl					■
<b>Fleece-pölypussit (3-kerroksiset)</b>								
Fleece pölypussi T 15/1, T 17/1, 10 kpl	7	6.907-017.0	10 kpl				Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 15/1 and T 17/1.	■
Fleece pölypussi T 15/1, T 17/1, 200 kpl	8	6.907-018.0	200 kpl					□
<b>Taivutettu imutanko, muovia</b>								
Elbow electrically conducting packaged N	9	2.889-148.0	1 kpl	ID 35				■
<b>Rakosuulakkeet</b>								
Crevice nozzle packaged NW35	10	2.889-130.0	1 kpl	ID 35	210 mm			■
<b>Lattiasuulakkeet, kuivaimurointi</b>								
Floor tool packaged NW35	11	2.889-129.0	1 kpl	ID 35		295 mm		■
Combination nozzle packaged basalt grey	12	6.907-410.0	1 kpl	ID 32		270 mm		□
Parquet nozzle packaged D360 NW35	13	2.889-196.0	1 kpl	ID 35		360 mm		□
Parquet nozzle packaged D300 NW35	14	2.889-197.0	1 kpl	ID 35		300 mm		□
Parquet nozzle packaged D360 DN32	15	6.905-078.0	1 kpl	ID 32		360 mm		□
<b>Imutangot metallia</b>								
Telescopic tube packaged NW35	16	2.862-008.0	1 kpl	ID 35	1 m			■
IMUPUTKI DN32	17	6.906-618.0	1 kpl	ID 32	0,5 m		Metal suction tube (DN 32, length 0.5 m) with black plastic coating, suitable as an extension, e.g. vacuuming ceilings.	□
<b>Imuletkut täydellinen (Clip-system)</b>								
Hose packaged NW35 2.5m	18	2.889-133.0	1 kpl	ID 35	2,5 m			■
<b>Paperinen pölypussi (kaksinkertainen)</b>								
Paperinen pölypussi T 15/1, T 17/1, 10 kpl	19	6.907-016.0	200 kpl					□
	20	6.907-019.0	10 kpl				10 paper filter bags (BIA-C dust class M), suitable for industrial dry vacuum cleaners (e.g. T 15/1 and T 17/1).	□
<b>Kankainen pölypussi</b>								
Filter bag cloth	21	6.904-316.0	1 kpl				Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.	□

■ Toimituksen mukana. □ Saatavilla olevat varusteet.

# T 15/1 HEPA 1.355-235.0

KÄRCHER



		Tuotenumero	Määrä		Pituus	Leveys	Kuvaus	
<b>Mootoroidut harjasuulakkeet</b>								
Harjapää ESB 34-230 V	22	2.642-442.0	1 kpl	ID 32		340 mm		<input type="checkbox"/>
Harjapää ESB 28	23	2.641-815.0	1 kpl	ID 32		280 mm	Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.	<input type="checkbox"/>
<b>Turbosuulakkeet</b>								
TURBOSUUTIN/HUONEKALU	24	2.860-113.0	1 kpl	ID 32		160 mm	Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
TURBOSUUTIN/LATTIA	25	2.860-114.0	1 kpl	ID 32		270 mm	Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Sovitinkappaleet</b>								
Letkujen liitoskappale	26	6.902-077.0	1 kpl	ID 32			Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
<b>Sovitin (putkisuutin)</b>								
Sovitin DN 32 -35	27	6.902-083.0	1 kpl	ID 32			From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
<b>Supistin (putki - suutin)</b>								
Supistin DN35 - DN32	28	6.902-072.0	1 kpl	ID 35			Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Supistin ja jatko-osasetti</b>								
Supistin/sovitinsetti ID40/35, 35/32 muovia	29	2.860-117.0	1 kpl				DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Toimituksen mukana. □ Saatavilla olevat varusteet.